

## 6. REFERENCES

- Arsanti, Gracia. (2016). Pengaruh *Steam Blanching* dan Perendaman Asam Sitrat terhadap Kualitas Kunyit (*Curcuma domestica* Val.) yang Dikeringkan dengan Menggunakan *Solar Tunnel Dryer* [Undergraduate Thesis]. Semarang: UNIKA Soegijapranata.
- Bulemela, E; P. Tremaine and S.-I. Ikawa. (2006). "Volumetric Behavior of Water-Methanol Mixtures in the Vicinity of the Critical Region," *Fluid Phase Equilibria*, Vol. 245, 2006, p. 125.
- Cahyono, Bambang; Muhammad Diah Khoirul Huda; & Leenawaty Limantara. (2011). Pengaruh Proses Pengeringan Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb) Terhadap Kandungan Dan Komposisi Kurkuminoid. *Reaktor*, Vol. 13 No. 3, Juni 2011, Hal. 165-171
- Clark, Jim. (2016). High Performance Liquid Chromatography – HPLC. <http://www.chemguide.co.uk/analysis/chromatography/hplc.html>. Diakses 29 November 2016. Pk 21.40.
- Darmadi, Fifi Sutanto dan Kristina Ananingsih. (2008). Studi Penerapan Teknologi Solar Tunnel Drying pada Proses Produksi Tiwul Instan. *Jurnal Litbang Provinsi Jawa Tengah*. Volume 6 (1).
- Dewi, Francisca Sari Kusuma. (2016). Pengaruh Konsentrasi Asam Sitrat dan Waktu Perendaman Terhadap Kualitas Temulawak (*Curcuma xanthorrhiza* Roxb.) yang Dikeringkan dengan Menggunakan *Solar Tunnel* [Undergraduate Thesis]. Semarang : UNIKA Soegijapranata.
- Dhole, Seema M. ;Pramod B. Khedekar, and Nikhil D. Amnerkar. (2012). Comparison of UV spectrophotometric and high performance liquid chromatography methods for the determination of repaglinide in tablets. *Pharm Methods*. 2012 Jul-Dec; 3(2): 68–72.
- Fellow, P.J (2000). *Food Processing Technology-Principles and Practice*. Woodhead Publishing Limited. England.
- Green, Cheryl E and Mitchell, Sylvia A. (2014). The Effects of Blanching, Harvest Time and Location (with a Minor Look at Postharvest Blighting) on Oleoresin Yields, Percent Curcuminoids and Levels of Antioxidant Activity of Turmeric (*Curcuma longa* ) Rhizomes Grown in Jamaica. *Green and Mitchell, Mod Chem appl* 2014, 2:4.

- Hastati, Sri; Veni Hadju; Gemini Alam; Nusratuddin. (2015). Determination Of The Curcumin Pigment In Extract *Curcuma Domestica* Val From South Sulawesi, Indonesia, By High Performance Liquid Chromatography. *International Journal Of Scientific & Technology Research* Volume 4, Issue 04, April 2015. ISSN 2277-8616.
- Hazra, Kalyan; Ravi Kumar; Biresh Kumar Sarkar; Y. Ankamma Chowdary; Manish Devgan; Maddi Ramaiah. (2015). Uv-Visible Spectrophotometric Estimation Of Curcumin In Nanoformulation. *Hazra et al., IJP, 2015; Vol. 2(3): 127-130. E- ISSN: 2348-3962, P-ISSN: 2394-5583.*
- Holeček, Oldřich and Kohout, Martin. (2011). Drying. <http://www.scielo.br>. Diakses 14 January 2017. Pk. 13.04 WIB.
- Jansirani.D, Saradha.R, Salomideborani.N, Selvapriyadharshini J. (2014). Comparative evaluation of various extraction methods of curcuminoids from *Curcuma longa*. National Conference on Green Engineering and Technologies for Sustainable Future-2014. *Journal of Chemical and Pharmaceutical Sciences* ISSN: 0974-2115.
- Jayaprakasha GK, Rao LLM, Sakariah KK. (2005). Improved HPLC method for the determination of curcumin, demethoxycurcumin and bisdemethoxycurcumin. *Journal of Agric Food Chem* 50:3668–3672.
- Jiang H, Timmermann BN, Gang DR. (2006). Use of liquid chromatography-electrospray ionization tandem mass spectrometry to identify diarylheptanoids in turmeric rhizomes (*Curcuma longa* L.) rhizome. *Journal of Chromatogr A* 1111:21–31.
- Ketaren, S. (1986). Pengantar Teknologi Lemak dan Minyak Pangan. UI Press. Jakarta.
- Kinsella, J.E., Frankel, E., German, B. and Kanmer, J. (1993). Possible Mekanisme for the Protective role of Antioxidants in Wine and Plant Foods. *Journal of Food Technology*. 4:5-89
- Kumavat, Suresh D.; Yogesh S.Chaudhari; Priyanka Borole; Preetesh Mishra; Khusbu Shenghani; Pallavi Duvvuri. (2013). Degradation Studies Of Curcumin. *International Journal of Pharmacy Review & Research* 03(2): 50-55, 2013
- Kurhekar, S. P. (2015). Studies on quality evaluation of blanched turmeric.
- Miller HE, Rigelhof F, Marquart L, Prakash A, Kanter M. (2000). Whole Grain Products and Antioxidants. *Cereal Foods World* 2000; 45:5963.

- Mudge, Elizabeth; Michael Chan; Sylesh Venkataraman & Paula N. Brown. (2016). Curcuminoids in Turmeric Roots and Supplements: Method Optimization and Validation. *Food Anal. Methods* (2016) 9:1428–1435 DOI 10.1007/s12161-015-0326-0.
- Nurcholis, Waras; Laksmi Ambarsari; Ni Luh Putu Eka Kartika Sari; Latifah K Darusman. (2012). Curcuminoid Contents, Antioxidant and Anti-Inflammatory Activities of *Curcuma xanthorrhiza* RoxB. and *Curcuma domestica* Val. Promising Lines From Sukabumi of Indonesia. *Prosiding Seminar Nasional Kimia Unesa 2012 – ISBN : 978-979-028-550-7*.
- Pandey, Sanjay. Katiyar. (2010), Determination and Comparison of The Curcuminoid Pigments in Turmeric Genotypes (*Curcuma Domestica* Val) by Highperformance Liquid Chromatography. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2 (4) : 125-127.
- Pangavhane, D. R., Sawhney, R. L., & Sarsavadia, P. N. (1999). Effect of various dipping pretreatment on drying kinetics of Thompson seedless grapes. *Journal of Food Engineering*, 39(2), 211–216.
- Pujimulyani, D., Raharjo, S., Marsono, Y. and Santoso, U. (2010). The effects of blanching treatment on the radical scavenging activity of white saffron (*Curcuma mangga* Val.). *International Food Research Journal* 17: 615-621 (2010).
- Rezki, Rajian Sobri; Dwimas Anggoro; Siswarni MZ. (2015). Ekstraksi Multi Tahap Kurkumin Dari Kunyit (*Curcuma Domestica* Valet) Menggunakan Pelarut Etanol. *Jurnal Teknik Kimia USU, Article in Press* (2015).
- Rosidi, Ali; Komsan, Ali; Setiawan; Budi; Riyadi, Hadi; and Briawan, Dodik. (2016). Antioxidant Potential of Temulawak (*Curcuma xanthorrhiza* Roxb.). *Pak. Ournal of Nutrition*, 15 (6): 556-560,2016.
- Rosiyani, L. (2010). The Evaluation of Metabolic Changes on Curcuma with Different Planting Time (Undergraduate Thesis). Bogor (ID) : Bogor Agricultural University.
- Safefood 360. (2014). *Water Activity (aw) in Foods*. Safefood 360, Inc
- Sahu, Rajani Kanta; Gayatri Nahak. (2011). Evaluation of Antioxidant Activity in Ethanolic Extracts of Five Curcuma Species. Rajani Kanta Sahu *et al. IRJP* 2011, 2 (12), 243-248. ISSN 2230-8407.

- Sari, M. W. (2014). Pengaruh Jumlah Asam Sitrat Dan Agar-Agar Terhadap Sifat Organoleptik Manisan Bergula Puree Labu Siam ( *Sechium edule* ). *E-Journal Boga, Volume 03, Nomor 1, Edisi Yudisium Periode Februari Tahun 2014, Hal 100-110 PENGARUH*, 03(1), 100–110.
- Sharma, Kiran; S.S. Agrawal; Gupta, Monica. (2012). Development and Validation of UV Spectrophotometric method for The Estimation of Curcumin in Bulk and Pharmaceutical Dosage Forms. *Int. J. Drug Dev & Res., April-June 2012, 4 (2) : 375-380*.
- Suresh, D., Gurudutt, K. N., & Srinivasan, K. (2009). Degradation of bioactive spice compound: Curcumin during domestic cooking. *European Food Research and Technology* .
- Surianti, N. S. (2008). Pengaruh Konsentrasi Asam Sitrat Terhadap Karakteristik Ekstrak Pigmen Limbah Selaput Lendir Biji Terung Belanda (*Cyphomandra beatacea* S.) Dan Aktivitas Antioksidannya, (2008), 1–10.
- Swanson, M. A. (1991). *Fruits & Vegetables*.
- Wang YJ, Pan MH, Cheng AL. (1997). Stability of curcumin in buffer solutions and characterization of its degradation products. *Journal of Pharmaceutical and Biomedical Analysis*, 15, 1997, 867–s876.
- Wichitnithad W, Jongaroonngamsang N, Pummangura S, Rojsitthisak P. (2009). A simple isocratic HPLC method for the simultaneous determination of curcuminoids in commercial turmeric extracts. *Phytochem Anal* 20:314–319.
- Winarno, F. G., S. Fardiaz dan D. fardiaz, (1984). *Pengantar Teknologi Pangan*. Gramedia Pustaka Utama, Jakarta.
- Zapsalis, C.A.Beck, (1985). *Food Chemistry and Nutritional Biochemistry*. John Willey and Sons, New York, hal 453-454.
- Zimpel, A. (1996). *Solar Drying of Chillies in Sri Lanka*. AgMMA-Hohenheim University. Colombo.